

SEP 2 9 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

09/24/1998

NET Job Number: 98.06460

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Date Date Number Sample Description Taken Received 218617 OUTFALL 001 09/15/1998 09/17/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

Ron Barners



SEP 2 9 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler

MILBANK MANUFACTURING INC

1400 E. HAVENS ST.

KOKOMO, IN 56901-3188

09/24/1998

Job No.: 98.06460

~ Page 2 of 3

Date Received: 09/17/1998

Job Description: TWICE WEEKLY WASTEWATER

Sample Number	/ Sample I.D.			Sample Date/	Analyst &		Reporting
Parameters		Result	Flaq	Units	Date Analyzed	Method	Limit
218617	OUTFALL 001			09/15/1998			
Iron, ICP		1.4		mg/L	psc / 09/18/1998	EPA 200.7	<0.10
Lead, ICP		<0.080		mg/L	psc / 09/18/1998	EPA 200.7	<0.080
Silver, ICP		<0.020		mg/L	psc / 09/18/1998	EPA 200.7	<0.020
Zinc, ICP		0.084		mg/L	psc / 09/18/1998	EPA 200.7	<0.020

SEP 29 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

FIELD REPORT

JOB #: 98.06460

CLIENT: MILBANK MFG.

PROJECT: TWICE WEEKLY WASTEWATER

DATE: 9/15/98 **SAMPLER(S):** CAB

An ISCO model 3710 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated with alconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 8 hours.

Monitoring start 07:30 on 9/15/98 Monitoring end 15:00 on 9/15/98

The composite sample was clear.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.



CHAIN OF CUSTODY RECORD COMPANY MAG

		1998	ADDR PHON PROJ PROJ PROJ	ESS	NAN.	JE/I	OCA	TION	£,	' s	£	رے ر	u	ک (FA_ ویرمیار	+ (+ (· · · · · · · · · · · · · · · · · · ·	ù	(1)	 							
		SEP 23 1998	PROJ PROJ	ECT ECT	NUN	/BEF	R	/	0,6	·/.	n?	0	7	70	20	-							o. <u>1</u>	£.00H	50	
PRINT NA		Rossilla 160	SIGNATURE					# a	ınd Typ	pe of		A. Za			THE WHOLE AND THE	THE PARTY NAMED IN	YSES	The second second second		Is this comp	work bei	ng conduc nitoring?	ng the proted for regulated fo	Yes	^	
DATE	TIME	SAMPLE ID/DESCRIPTION		MATRIX	GRAB	COMP	HCi	NaOH	HNO3	H ₂ SO ₄	ОТНЕВ	F. 10%								Which	n regulatio		UST		inking Wate	
1/ich	4/15	Outfall 001	<i>i</i>	w.		i			1)											COIVIN	IENIS		
			<i>L</i>																							
		F SAMPLE: BOTTLES INTACT? FIELD FILTERED? \	ES/NO				V	OLA	TILE) INTA)SPA(TEMPEI Bottles	RATUR	E UPON by NE	RECEI	PT:	52	
SAMPL	E REMA	AINDER DISPOSAL: RETURN S. I REQUEST	AMPLE REMA NET TO DISF							IIAM	NDE	RS _							 	DATE						
0	ISHED BY	DATE TIME		_		_						RE	ELINQ	UISHE	D BY:				DATE 9/1-	7/88 11	: :00	RECA	lved FOR	NET BY:	alt	9/17/4
INIE I FIC	70 OF S	CLPS	REMAR	103:					*******************			/				-			 			<i>V</i>				